NSW Rest Areas Dataset Documentation

1 Dataset Name

NSW Rest Areas

2 Dataset Overview

2.1 Introduction

The NSW Rest Areas dataset provides information on rest area sites managed by Transport for NSW (TfNSW) and other authorities, including local councils and the National Parks and Wildlife Service (NPWS). A rest area is an area for light and/or heavy vehicles, which generally offers parking, picnic tables, shelter, toilets, and water.

The dataset includes details such as the rest area name, vehicle category (i.e. access for light vehicles, heavy vehicles or both), access direction, and different facilities, including toilets, picnic tables, playground, etc., that are available at each site.

In early 2024, informal rest areas were excluded from the dataset. The dataset does not include TfNSW managed inspection bays or parking areas.

Whilst the dataset aims to provide information on rest areas across NSW, the rest areas displayed and their features, can change for several reasons, including but not limited to:

- (1) ongoing work to reclassify rest areas according to AustRoads guidelines, and
- (2) periods of major road upgrades, which may bring about new rest areas.

The NSW Rest Areas dataset can be queried by API for use by the public and industry.

2.2 Custodian

Customer Channel Experience, Transport for NSW cxe@transport.nsw.gov.au

2.3 Data quality and suitability

2.3.1 Accuracy and suitability

Although every effort has been made to ensure the quality of the data, Transport for NSW cannot guarantee the accuracy of the data and does not accept responsibility for any consequences arising from its use. TfNSW is not able to confirm the accuracy or completeness of content provided by third parties without independent verification by TfNSW.

2.3.2 Reference period

The period for which the data was obtained: June 2018 – ongoing.

2.3.3 Errors

If errors are identified, the dataset undergoes revision, and the revised version is published. Please email cxe@transport.nsw.gov.au for data content issues.

3 Dataset Description

3.1 Dataset

Table name: rest_areas

Field Name	Data Type	Description or Definition
CARTODB_ID	Number	System generated primary key.
THE_GEOM	Geometry	Point Geometry.
ACCESS_DIRECTION	String	The nominated direction from which the rest area can be accessed (Refer to 3.2.1). - Prescribed - Counter - Both
ACCESS_DIRECTION_CARDINAL	String	The cardinal direction from which the rest area can be accessed, i.e. vehicle travelling in the following cardinal direction can access this rest area. - Northbound - Southbound - Eastbound - Westbound - Both Directions
ACCESSIBLE	Boolean	Indicates whether wheelchair accessible facilities are available at the rest area. NULL: FALSE (No) 1: TRUE (Yes)
BABY_CHANGE_FACILITIES	Boolean	Indicates whether baby change facilities are available at the rest area. NULL: FALSE (No) 1: TRUE (Yes)
BBQ	Boolean	Indicates whether BBQ facilities are available at the rest area. NULL: FALSE (No) 1: TRUE (Yes)
BOAT_RAMP	Boolean	Indicates whether a boat ramp is available at or near the rest area. NULL: FALSE (No)

		1: TRUE (Yes)
		Indicates whether caravan disposal facilities
CARAVAN_DISPOSAL	Boolean	are available at or near the rest area.
CANAVAN_DISPOSAL	Doolean	NULL: FALSE (No)
		1: TRUE (Yes)
CARRIAGEWAY_CODE	String	Refer to 3.2.2.
		Indicates if the rest area is part of the main
CARRIAGEWAY_CONFIGURATION	String	carriageway pavement or physically
		separated from the main carriageway.
CATEGORY	String	Refer to 3.2.3.
		The year the rest area was constructed.
CONSTRUCTION_DATE	Date	NOTE: This field is currently unused, and all
		items are set to null.
DESCRIPTION	String	Provides additional information for the rest
		area.
DISTANCE_FROM	Ctring	Provides the distance from the nearest main
DISTANCE_FROM	String	town to the rest area (textual description).
		Indicates whether the rest area is also a
DRIVER_REVIVER	Boolean	driver reviver site.
DRIVER_REVIVER	Bootean	NULL: FALSE (No)
		1: TRUE (Yes)
		Indicates whether emergency phones are
EMERGENCY_PHONES	Boolean	available at or near the rest area.
EMERGENCI_PHONES	Bootean	NULL: FALSE (No)
		1: TRUE (Yes)
ENTRY TARER	Chuin	NOTE: This field is currently unused, and all
ENTRY_TAPER	String	items are set to null.
EVIT TARER	Otalia a	NOTE: This field is currently unused, and all
EXIT_TAPER	String	items are set to null.
FOOD_AVAILABLE	Boolean	Indicates whether a kiosk is present at or
_		near the rest area.
		NULL: FALSE (No)
		1: TRUE (Yes)
	Boolean	Indicates whether a fuel refilling station is
FUEL AVAILABLE		available at or near the rest area.
FUEL_AVAILABLE		NULL: FALSE (No)
		1: TRUE (Yes)
	Chuin	A checksum calculated from the geometry
GUID		and attribute for each feature.
GOID	String	NOTE: This field is currently unused, and all
		items are set to null.
		The number of heavy vehicle parking spaces
HEAVY_VEHICLE_PARKING_CAPACITY	Number	available at the rest area.
TILAV I_VLITICLL_PARKING_CAPACIT I	Number	NOTE: This field is currently unused, and all
		items are set to null.
HEAVY_VEHICLES_PARKING_TYPE	Ctring	NOTE: This field is currently unused, and all
TILAV I_VLITICLES_FARKTING_I TPE	String	items are set to null.
		The number of light vehicle parking spaces
LIGHT VEHICLE DADVING CARACITY	Number	available at the rest area.
LIGHT_VEHICLE_PARKING_CAPACITY	number	NOTE: This field is currently unused, and all
		items are set to null.
LIGHT VEHICLES DADKING TYPE	Ctrin~	NOTE: This field is currently unused, and all
LIGHT_VEHICLES_PARKING_TYPE	String	items are set to null.
LAST_UPDATED	Date	The date in which the feature was last
		updated.
LATITUDE	Niconalaan	Geo Coordinate - Latitude of the structure
LATITUDE	Number	(WGS84 Coordinate System).
LONGITUDE	, ·	Geo Coordinate - Longitude of the structure
LONGITUDE	Number	(WGS84 Coordinate System).
LGA	String	The Local Government Area in which the
	6	rest area is located.
		Indicates whether lighting is present at the
LIGHTING	Boolean	rest area.
		NULL: FALSE (No)

		1: TRUE (Yes)
LINK_NO	Number	Transport for NSW classified road-link
		number.
		Indicates whether litter bins are available at
LITTER_BINS	Boolean	or near the rest area.
LITTER_DINS	Doolean	NULL: FALSE (No)
		1: TRUE (Yes)
		Indicates whether a lookout is present at the
LOOKOUT	Boolean	rest area.
Lookoot	Bootoan	NULL: FALSE (No)
		1: TRUE (Yes)
NE UNIQUE	Chuin a	A comma-separated combination of the
NE_UNIQUE	String	ROAD_NUMBER, LINK_NO, CARRIAGEWAY_CODE and VERSION_NO.
		Indicates whether pets are allowed at the
		rest area.
PETS_ALLOWED	Boolean	NULL: FALSE (No)
		1: TRUE (Yes)
		Indicates whether picnic tables are present
DIONIO TADI E	.	at the rest area.
PICNIC_TABLE	Boolean	NULL: FALSE (No)
		1: TRUE (Yes)
		Indicates whether a playground is present
PLAYGROUND	Boolean	at or near the rest area.
LATGROUND	Dootean	NULL: FALSE (No)
		1: TRUE (Yes)
		Indicates whether power outlets are
POWER_OUTLETS	Boolean	available at or near the rest area.
		NULL: FALSE (No)
		1: TRUE (Yes)
		Indicates whether power supply is present at the rest area.
POWER_SUPPLY	Boolean	NULL: FALSE (No)
		1: TRUE (Yes)
BEGION	0.1	The name of the TfNSW administrative
REGION	String	region in which the rest area is located.
		Indicates the agency responsible for the
RESPONSIBLE_AUTHORITY	String	management and maintenance of the rest
		area.
REST_AREA_NAME	String	The name of the rest area.
REST_AREA_NUMBER	Number	Unique identifier of the rest area.
ROAD_NAME	String	The name of road where the rest area is
		located.
		TfNSW classified road number.
ROAD_NUMBER	Number	Administrative road number. Zero padded
		and 7-digits long.
		Indicates whether separated parking areas
	Boolean	are available for heavy and light vehicles at the rest area.
SEPARATED_PARKING_AREAS_LIGHT_HEAVY		NULL: FALSE (No)
SEFANATED_FANNING_ANEAS_EIGHT_FIEAVT		1: TRUE (Yes)
		NOTE: This field is currently unused, and all
		items are set to null.
		Indicates whether shade is available at the
SHADE	Boolean	rest area.
STIADE	bootean	NULL: FALSE (No)
		1: TRUE (Yes)
		Indicates whether shelter is present at the
SHELTER	Boolean	rest area.
		NULL: FALSE (No)
		1: TRUE (Yes)
SIDE OF DOAD	Ctui	Indicates which side of the road the rest
SIDE_OF_ROAD	String	area is located. Left
		Leit

		Right Centre
SIGN_NON_POTABLE	Boolean	Indicates whether a sign for non-potable water is present at the rest area. NULL: FALSE (No) 1: TRUE (Yes) NOTE: This field is currently unused, and all items are set to null.
SITE_STATUS	String	Indicates if the rest area is open, closed, or temporarily unavailable to the public.
SPORTS_GROUND	Boolean	Indicates whether a sports ground is present at or near the rest area. NULL: FALSE (No) 1: TRUE (Yes)
SUBURB	String	The suburb in which the rest area is located.
THE_GEOM_WEBMERCATOR	Geometry	WGS84 Point Geometry.
TOILETS	Number	Indicates the number of toilets available at or near the rest area.
TOURIST_INFORMATION	Boolean	Indicates whether tourist information centres are available at or near the rest area. NULL: FALSE (No) 1: TRUE (Yes)
TREE_SHADING	Boolean	Indicates whether tree shading is present at the rest area. NULL: FALSE (No) 1: TRUE (Yes)
VEHICLE_TYPE	String	The type of vehicles permitted to access to the rest area.
WATER_SUPPLY_TYPE	String	The type of water supply available at the rest area.

3.2 Dataset domain values

3.2.1 Access Direction

The nominated direction from which the rest area can be accessed. The prescribed direction will match the description of the road as per the NSW Gazette.

If the road has not been published or gazetted, the following rules will apply in order of precedence:

- Away from Sydney;
- South to North;
- East to West;
- Away from a classified road (for local roads only)

3.2.2 Link Carriageway Code

Identifier for the type of carriageway.

А	Single carriageway – opposing flows of traffic are generally not separated by a physical median. A single carriageway may be more than two lanes wide.
	Physical medians do not include painted pavement areas, traffic islands associated with isolated traffic signals or isolated intersections.
	Where a physical median is less than 1m wide and less than 500m long, the road section may be treated as a single carriageway.
B,C	Divided carriageway – opposing flows of traffic are generally separated by a physical median. • B - carriageway nearest to the median in the prescribed direction of the road. • C - carriageway nearest to the median in the opposite direction to the prescribed direction.
	The minimum length of B and C carriageways should be 500m.
D,F,H	The 2nd, 3rd and 4th carriageways from the median in the prescribed direction (B).
E,G,I	The 2nd, 3rd and 4th carriageways from the median in the counter prescribed direction (C).
J	Joins - Single carriageway 'joins' longer than 100m. Usually used to join freeway ramps to main roads, widely separated B and C carriageways. Can either be one or two way.
K-N	Connections – at grade connections or slip lanes longer than 100m. • K – prescribed direction (off) • L – counter prescribed direction (on) • M – prescribed direction (on) • N – counter prescribed direction (off)
P,Q	Service Roads – Frontage or service access roads • P – prescribed direction • Q – counter direction
R-Z	Interchange ramps – exit/entry or off/on ramps at interchanges R, X – prescribed direction off ramps S, Y – counter direction on ramps T, V – prescribed direction on ramps U,W – counter direction off ramps Z – other ramps

3.2.3 Rest Area Categories

Rest Area categories are based on the AustRoads classifications, as defined <u>here</u>. This is a guideline used to indicate the vehicle accessibility and facilities available at a rest area.

Field	Description
Class 1 Heavy Vehicle Rest Area	Class 1 Heavy Vehicle Rest Area, major rest area.
Class 2 Heavy Vehicle Rest Area	Class 2 Heavy Vehicle Rest Area, major rest area.
Class 3 Heavy Vehicle Rest Area	Class 3 Heavy Vehicle Rest Area, minor rest area.

Class 4 Heavy Vehicle Rest Area	Class 4 Heavy Vehicle Rest Area, minor rest area.
Class 5 Heavy Vehicle Rest Area	Class 5 Heavy Vehicle Rest Area, can be for heavy vehicles only.
Other Rest Area	Other formal rest area that doesn't fall into the class 1-5 requirements.
Light Vehicle Only Rest Area	Formal rest area for light vehicles only.
Rest Area	The default categorisation for rest areas that have not yet been evaluated to AustRoads classifications.
Service Centre	Commercial facilities including highway service centres and roadhouses that are marked with g-series rest area signage.

4 Usage Examples

Example 1

Request the names and geographic locations which include toilet and baby_change_facilties.

Request

```
SELECT rest_area_name, latitude, longitude
FROM rest_areas
WHERE toilets = true AND baby_change_facilities = true
ORDER BY rest_area_name
```

Response

```
"rows": [{
   "rest_area_name": "Arrawarra",
   "latitude": -30.05999,
   "longitude": 153.18505
}, {
    "rest_area_name": "BOOROWA DRIVER REVIVER SITE",
   "latitude": -34.43873,
   "longitude": 148.71591
}, {
   "rest_area_name": "Nambucca Heads Service Centre",
   "latitude": -30.62643,
   "longitude": 152.97234
}],
"time": 0.004,
"fields": {
   "rest_area_name": {
     "type": "string"
  },
"latitude": {
-": "n
     "type": "number"
   "longitude": {
     "type": "number"
"total_rows": 3
```

Example 2

Return all rest areas and associated information within the given location of Blue Mountains LGA (WGS84 150.306332108, -33.71749713) and export to a named CSV file.

Request

SELECT *

FROM rest_areas

WHERE ST_DWithin(the_geom, ST_MakePoint(150.306332108, -33.71749713)::geography, 20000) &format=CSV&filename=RestAreasAroundBlueMountainsLGA

Response C D E F G H K L M N 0 1 the_geom lighting the_geom last_upda _ds_write access_diraccess_diraccessible baby_charbbq boat_ram caravan_d carriagew carriagew category constructi FALSE 2 010100002 FALSE 0101000022018-06-2: 2 BOTH BOTH FALSE FALSE FALSE FALSE A1 PARKING AREA 2 BOTH FALSE 3 010100002 FALSE 0101000022018-06-2 BOTH FALSE FALSE FALSE FALSE C5 REST AREA 4 010100002 FALSE 0101000022018-06-2 2 BOTH BOTH FALSE FALSE FALSE FALSE FALSE A1 PARKING AREA FALSE FALSE C1 5 010100002 FALSE 0101000022018-06-2: 2 COUNTER EASTBOUT FALSE FALSE FALSE REST AREA 6 010100002 FALSE 010100002 2018-06-2 вотн FALSE A1 2 BOTH FALSE FALSE FALSE FALSE REST AREA 7 010100002 FALSE 0101000022018-06-2 2 BOTH вотн FALSE FALSE FALSE FALSE FALSE A1 REST AREA 8 010100002 FALSE 010100002 2018-06-2 FALSE A4 2 BOTH вотн FALSE FALSE FALSE FALSE INSPECTION BAY 9 010100002 TRUE 010100002 2018-06-2 2 COUNTER NORTHBO FALSE REST AREA FALSE FALSE FALSE FALSE C1 FALSE FALSE A1 REST AREA 10 010100002 FALSE 0101000022018-06-2 2 BOTH BOTH FALSE FALSE FALSE